



NOTE:

- This is to certify that the details shown on this drawing have been checked by me and comply with relevant AS codes AS4055, AS1170 PART 0,1,2, AS4100 & AS4600
- Structural metal framework constructed from Spanmor Aluminium Beams.
- The information in this drawing can only be used for wind classifications N1 (W28) + N2 (W33) as defined in AS4055.
- All components are hold together with:
Steel Galvabond 1.1mm thick material or Aluminium 3mm thick (5005 H34), and TEK 12G-20 screws for fixing.
- The information in this drawing has been authorised by D.J. HALL and to be used solely by Spanmor Pty Ltd.
- The Spanmor beams are Non-Combustible and can be used in all BAL ZONES as Defined in AS3959

STRUCTURAL DETAILS SATISFACTORY

D.J. HALL B.E., M.Eng.Sc., Dip.H.E.(Delft), M.I.E.(Aust), CPENG
 CONSULTING STRUCTURAL ENGINEER
 PH: 0407 225 499 No. 3, ROWLEY STREET., SEVEN HILLS NSW 2147
 The structural engineering information shown on this drawing has been approved by D.J. HALL for the sole use of Spanmor Pty Ltd. and must not be copied.
 WARNING! CONFIDENTIAL - JUNE 2021. This document is produced and printed by Spanmor Pty Ltd. and always remains its property. The information contained in this document is confidential and must not be disclosed or used for any purpose other than the proper carrying out by an employee / agent of Spanmor Pty Ltd. of his / her employment duties. Un authorised disclosure of information either verbally or otherwise will result in legal action.



CONFIDENTIAL: THIS DOCUMENT IS PRODUCED AND PRINTED BY SPANMOR Ltd AND ALWAYS REMAINS ITS PROPERTY. THE INFORMATION CONTAINED IN THIS DOCUMENT IS CONFIDENTIAL AND MUST NOT BE DISCLOSED OR USED FOR ANY OTHER PURPOSE OTHER THAN FOR THE PROPER PERFORMANCE BY ANY PERSON. ANY UNAUTHORISED DISCLOSURE OR REPRODUCTION EITHER WRITTEN, ORAL OR OTHERWISE WILL RESULT IN LEGAL ACTION.

NOTE: DO NOT SCALE OFF THE DRAWING. USE WRITTEN DIMENSIONS. THE BUILDER SHALL VERIFY ALL DIMENSIONS FROM COMMENCEMENT OF WORK IN-ON - SITE.

DESCRIPTION: DETAILS FOR SPANMOR DECKS				
DATE DRAWN:	SCALE:	DRAWN BY:	CHECKED:	ISSUE:
09/5/21	NTS	WS		20/11/19

Client: _____
 Address: _____
 Date: _____